

**INSTRUCTION:** Use this form to order any standard pre-hung or non-prehung entryway that is shown in our Buffalo Forge ThermaPlus Entry Door product catalog. Be sure to use the prehung unit numbers or door stock numbers (for non-prehung) shown in the catalog.

**CONTACT INFORMATION:**

■ **Company Name:** \_\_\_\_\_ ■ **Contact Name:** \_\_\_\_\_  
 ■ **Address** \_\_\_\_\_ **City, State, Zip** \_\_\_\_\_ ■ **Contact Email:** \_\_\_\_\_  
 ■ **Phone** \_\_\_\_\_ ■ **PO #** \_\_\_\_\_

**WINDSTORM APPROVED:**     NO (Standard)     Yes    Note: Windstrom Product may extend lead time and/or increase price.

**ENTRYWAY STOCK #** (refer to the Buffalo Forge ThermalPlus catalog): \_\_\_\_\_

**SIZE INFORMATION AND DECORATIVE OPTIONS**

(Refer to sizes listed in price lists or catalog for availability of specific door heights for each Entry Configuration.)

**Door Width:**     42"     36"     32"     30" (for 5'0" double arch top and arch lite doors only; not for single doors)  
**Door Height:**     80"     96"

**Speakeasy Grille Design (if applicable):** \_\_\_\_\_     No Grille     Glass     Solid  
**Speakeasy Glass Texture:**     Clear     Granite     Reeds     Ocean     Rain     Ice Flower     Water  
**Speakeasy handing:**     Right     Left

**Strap handing (if applicable):**     Right     Left    **Clavos Design (if applicable):** \_\_\_\_\_

**Wrought Iron Grille Design or GBG Grille Design (if applicable):** \_\_\_\_\_

**Metal grid design for Contemporary doors (if applicable):** \_\_\_\_\_

**Glass Options:**     Clear     Clear Bevel     Water     Reeds     Rain     Flemish     Granite  
                            Ocean     Cloud

\* **PLEASE NOTE:** Clear Bevel, Granite, and Ocean are only available for Continental designs. Cloud applies to Contemporary doors only. Flemish glass is only available for Wrought Iron, Continental and Speakeasy doors. Metal Grids come with Clear Glass only.

**PREFINISH INFORMATION**

**Pre-finished unit (Door/frame):**     Black Satin\*     French Grey Satin     Oil Rubbed Bronze Satin  
    Antique Pale Bronze     Antique Pewter Grey     Antique Copper Bronze  
**Wrought Iron (Grille, speakeasy grille, straps, clavos)**     Yes     No  
 ■ **If yes, which finish?**     Black Satin\*     French Grey Satin     Oil Rubbed Bronze Satin  
    Antique Pale Bronze     Antique Pewter Grey     Antique Copper Bronze

\*Choose Black Satin when planning to finish with color of your choice.

**PRE-HUNG INFORMATION**


\* **PLEASE NOTE:** Brick Mold is shipped uninstalled on pre-hung units.

**Pre-hung?**     No (Slab only go to back page)     Yes  
**Jamb Width?**     4 1/2"     6 1/2" (Extra Charge)     Other \_\_\_\_\_ (custom products only)  
**Brick Mould?**     Yes     No  
**Strikejamb™ Reinforcement?**     Yes (Extra Charge)     No  
**Adjustable Sill Color?**     Bronze Aluminum     Mill Aluminum  
**Hinge Finish?**     Satin Nickel     Flat Black     Oil Rubbed Bronze     Stainless Steel


See Page 2 for pre-hung handing configurations.

Please select your pre-hung handing configuration:


**Inswing Configurations**




Left Hand Inswing



Right Hand Inswing




Left Hand Inswing




Right Hand Inswing


**Outswing Configurations**




Left Hand Outswing



Right Hand Outswing



Left Hand Outswing



Right Hand Outswing

**PLEASE NOTE:** Handings are to be acknowledged from the exterior looking in. GCDC designations could be different from what you are accustomed to. Please double check according to the images provided below.

**Additional information or special instructions:**

**PRE-HUNG INFORMATION (cont.): Hardware Preparation Information**

GlassCraft Multipoint Lock Prep?  No  Yes Handle Set Part Number \_\_\_\_\_

Latch set bore?  No  Yes  
 ■ If yes, select bore distance:  2 3/8"  2 3/4"

(For standard lock sets only.)

Dead bolt bore?  No  Yes  
 ■ If yes, select bore diameter:  2 1/8" Bore  Other \_\_\_\_\_

(For standard lock sets only.)

Center to center distance:  5 1/2"  Other \_\_\_\_\_

**Additional information or special instructions** (make sure to include standard options that may not be specified on this form):

**Shipping Information:**

- Entry will be picked up from GlassCraft assembled.
- Entry will be shipped K-D (knocked down) and crated.
- Entry will be shipped assembled and crated

(Unit may not be completely assembled, depending upon configuration. Please inquire for more information.)

**GlassCraft Use Only:**

Received on: \_\_\_\_\_

Confirmed on: \_\_\_\_\_

Price quotation: \_\_\_\_\_

Estimated Ship Date: \_\_\_\_\_

CSR Initials: \_\_\_\_\_

**I accept this order.**

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

**SUBMIT THIS FORM:**

- Email to: [orderentry@glasscraft.com](mailto:orderentry@glasscraft.com)
- Fax to: 713-690-2919

**IMPORTANT:** Changes or cancellations made to this order after signed confirmation is received by GlassCraft may result in additional charges.

**Submit Form**

**PLEASE NOTE:** The ability to submit this form using the Submit button may be limited by your computer setup. If you are unable to submit the form using the Submit button. Please save the file to your computer and send it to [orderentry@glasscraft.net](mailto:orderentry@glasscraft.net)